



STREET DEVILS Racing

Condensed Rules Sheet

The STREET DEVILS general rules are posted at BeechRidge.com. Please consult that document for general rules and driver eligibility. This quick reference guide is provided to help you get started and become a STREET DEVILS Racer.

The STREET DEVILS Division ALL AMERICAN class is made up of stock, American built, non-turbo, 4 cylinder, front wheel drive vehicles as listed below:

ELIGIBLE VEHICLES ALL AMERICAN CLASS

American made front wheel drive compact 2 and 4 door cars built before 2009 equipped with automatic transmission and normally aspirated (non-turbocharged/supercharged) 4 cylinder engines with

fuel injection only as specifically listed on the chart below.

1. General Motors Vehicles

with 2.2 Ecotec engine, Chevrolet Cobalt, Cavalier 1995 and up, Pontiac G6, G5, Grand Am, & Saturn

2. Ford Motor Company.

Ford Escorts built after April 1990 with 1.8 or 1.9 engine and Escort ZX2 1996 and up with 2.0 engine (no Zetec DOHC). Ford Contour/Mystique 1990 to 2000 with 2.0 Zetec engine, Ford Focus (no SVT chassis or engine) with standard engine for vehicle year.

3. Chrysler Corporation

Dodge/Plymouth Neon 2 or 4 door, (No SRT4 chassis or Engine), 2.0 engine SOHC only. Dodge Stratus/Plymouth Breeze, Chrysler Cirrus, or Sebring with 2.4 engine, 4 door only.

Note: You may not use SVT, SRT4, Red Line, ZX2, SIR, or other factory high performance chassis with a legal sized engine installed. No all wheel drive, four wheel drive, or SUV type vehicles allowed.

We will publish a list of acceptable model numbers and all participating vehicles must have the unmolested public VIN number visible for inspection.

STREET DEVILS Construction Guide

- 1. Roll Cage: As described in the TT rulebook for unibody vehicles with the following allowances. A. a single foot protection pipe from the front cage**

upright to each lower strut tower or to the engine cradle B. a single pipe from the rear cage upright to each rear strut tower or upper shock support joined by a single side to side pipe. 3. a bar from the center of the rear cage X forward thru the firewall to an 18 inch section of pipe parallel to the top of the engine block. We will post photos of the actual prototype car online.

2. Mandatory Safety items as described in the TT Rule book listed below :

Racing seat, 5 point harness, window net, fire extinguisher, roll bar padding

3. STREET DEVILS only Safety items:

A red illuminated "fuel on" switch mounted at driver's left hand clearly accessible from outside the car, Left side upper, seat head containment wing.

4. Recommended Safety items:

We will allow 1" of camber on the right front wheel only to help with tire management, One inch lug nuts on standard lugs, fuel cell with inline fuel pump, quick release steering wheel and hub, single outside rear view mirror

5. Miscellaneous:

We will allow: a 6" x 42" rear deck spoiler (lettering allowed on topmost 2"), a 5" X 40" front air dam mounted 4" off of the ground painted a contrasting color to the bumper

6. Note: if you intend to use a stock fuel tank you

must inspect the factory fuel lines and replace them if there is visible rust.

STREET DEVILS General Guidelines

Other than the above safety related rules and recommendations your race car must be left stock as it came from the factory.

We invite you to join this exciting new division. More information is available online at Beechridge.com. Please direct technical questions to STREET DEVILS Technical Advisor Phil Larrabee at 207-415-9827.

STREET DEVILS Racing Associate Sponsors

